





شـركـة أوال لتأجير المعدات Awal Equipment Hiring Company

www.mister-machine.com









شـركـة أوال لتأجير المعدات Awal Equipment Hiring Company

KINGDOM OF SAUDI ARABIA

EQUIPMENT DIVISIONS

Transportation And Logistics 055 853 3354

Light Equipments 055 878 1119

Port-A-Cabins 055 878 1119

Formwork And Scaffolding 055 878 1119

Generators And Compressors 055 733 3875

Heavy Equipments 055 853 3354

Access Platforms 055 733 3875, 055 853 3354

Quality Used Equipments: 055 888 4575

المملكة العربية السعودية

أقسام المعدات

النقليات والخدمات اللوجستية ٥٥ ٨٥٣ ٣٣٥٤،

> المعدات الخفيفة ١١١٩ ٨٧٨ ٥٥٠

> > کبائن متنقلة ۱۱۱۹ ۸۷۸ ه.،

القوالب والسقالات ۱۱۱۹ ۸۷۸ ۵۰۰

المولدات الكهربائية والضواغط ٥٥ ٧٣٣ ٣٨٧٥،

> المعدات الثقيلة ١٥٥ ٨٥٣ ٣٣٥٤،

الرافعات الشخصية المتنقلة ١٥٥ ٨٥٣ ٣٣٥٤ - ١٥٥ ٧٣٣ ٣٨٧٥،

> معدات مستخدمة ممتازة ٥٧٥٨ ٨٨٨ ٥٥٠

24 Hours Hotline: 055 878 1119 Email: awal@mister-machine.com Website: www.mister-machine.com

Al Khobar Branch

Tel: 013 808 4412, 013 808 4413 013 808 4415, 013 808 4419 P.O. Box: 2485 Al Khobar 31952

Address

Warehouse, Madar Industrial Area, King Khalid Road, Al Khobar, Kingdom of Saudi Arabia (Near Thuqba Industrial Area)

GPS Map: 26.24432, 50.20038

الخط الساخن ٢٤ ساعة: ١١١٩ ٨٧٨ ٥٥٠ awal@mister-machine.com www.mister-machine.com

فرع الخبر

۱۳ ۸۰۸ ۱۳۱۵ - ۱۳ ۸۰۸ ۱۳۱۸ ۱۳۱۸ ۱۳ ۸۰۸ ۱۳۱۹ - ۱۳ ۸۰۸ ۱۳۱۸ ص.ب: ۲۵۸۵ الخبر ۳۱۹۵۲

العنوان

مستودعٌ، منطقة مدار الصناعية طريق الملك خالد، الخبر، المملكة العربية السعودية (قرب منطقة الثقبة الصناعية)

خريطة تحديد المواقع: 26.24432, 50.20038

055 733 3875


055 853 3354



Al Khobar Branch, Kingdom of Saudi Arabia 055 878 1119, 055 853 3354

فـرع الخـبر، المملكة العربية السعودية ١١١٩ ٨٧٨ ٥٥٠ – ١٥٥ ٩٥٣ ٩٨ ٥٥٠





العنوان: مستودع, منطقة مدار الصناعية, طريق الملك خالد, الخبر



TRUCKS

1) TRACTOR HEAD TRUCKS 6

TRAILERS

I) FLAT-BED SEMI-TRAILERS	- /
2) CURTAIN-SIDE SEMI-TRAILERS	8
3) LOWBED SEMI-TRAILERS	9
4) LOWBED TOW-BAR TRAILERS	10
5) WIDE-MECH-CIDE CEMI-TDAILEDC	11

شاحنات TRUCKS



TRACTOR HEAD TRUCKS

MISTER MACHINE®

- QUALITY EQUIPMENT HIRE: Hiring the best performance, most reliable Trucks, All our Equipment are the latest models.
- DRIVERS: Highly Experienced / Motivated Drivers.
- SELECTION: The biggest Equipment hirer in Bahrain.
- COMPETITIVE HIRE RATES: The Best Quality and Hire Rates in Bahrain.

Tractor Head Type	4X2	6X4
Overall Length	6,200 mm	7,000 mm
Overall Width	2,500 mm	2,500 mm
Overall Height	3,000 mm	3,000 mm
Gross Vehicle Weight	19,000kg	33,000 kg
Gross Combination Weight	45,000kg	70,000kg
Unlade Weight	8,000 kg	9,000 kg
Payload	11,000kg	24,000 kg
Engine Power	360 HP/265 kW	410 HP/305 kW
Fifth Wheel Height	1,450 mm	1,450 mm









FLAT-BED SEMI-TRAILER

MISTER MACHINE®

- QUALITY EQUIPMENT HIRE: Hiring the best performance, most reliable Trailers, All our Equipment are the latest models.
- DRIVERS: Highly Experienced / Motivated Drivers.
- SELECTION: The biggest Equipment hirer in Bahrain.
- COMPETITIVE HIRE RATES: The Best Quality and Hire Rates in Bahrain.

FLAT - BED SEMI TRAILERS

FLAT-BED CAPACITY	40,000 kg
Overall Length	12,650 mm
Overall Width	2,700 mm
Overall Height	3,300 mm
Unlade Weight	9,200 kg
Flat-Bed Deck Length	12,000 mm
Flat-Bed Deck Width	2,500 mm
Flat-Bed Deck Height	1,700 mm

SAFETY NOTES:

- Care must be exercised while loading the trailers to avoid damage to trailers and cargo.
- All items must be properly secured in place to avoid accidents. Cargo can easily move during braking causing damage.
- The truck speed must be reduced especially when loading heavy cargo. The speed must be further reduced when approaching road bends and roundabouts.
- Customers may arrange insurance through an insurance company to cover for damage, loss of transported goods.
- Road regulations restrict the Gross Vehicle Weight of the cargo loaded on the trailers.





CURTAIN-SIDE SEMI-TRAILERS

CURTAIN- SIDE SEMI TRAILERS

CURTAIN-SITE CAPACITY	30,000 kg
Overall Length	12,650 mm
Overall Width	2,700 mm
Overall Height	3,400 mm
Unlade Weight	8,250 kg
FLAT DECK DIMENSIONS	
Flat-Bed Deck Length	12,650 mm
Flat-Bed Deck Width	2,550 mm
Flat-Bed Deck Height	1,500 mm

SAFETY NOTES:

- Care must be exercised while loading the trailers to avoid damage to trailers and cargo.
- All items must be properly secured in place to avoid accidents. Cargo can easily move during braking causing damage.
- The cargo overall height must be checked to prevent hitting overhead bridges. Bridge heights vary between 4.50m to 5.50m.
- The truck speed must be reduced especially when loading high and heavy cargo. The speed must be further reduced when approaching road bends and roundabouts.
- Special Permission is required when transporting cargo wider than 3.0m. It is sometimes compulsory to travel at night time.
- Customers may arrange insurance through an insurance company to cover for damage, loss of transported goods
- Road regulations restrict the Gross Vehicle Weight of the equipment loaded on the trailers.









LOW-BED SEMI-TRAILERS

MISTER MACHINE®

- QUALITY EQUIPMENT HIRE: Hiring the best performance, most reliable Trailers, All our Equipment are the latest models.
- DRIVERS: Highly Experienced / Motivated Drivers.
- SELECTION: The biggest Equipment hirer in Bahrain.
- COMPETITIVE HIRE RATES: The Best Quality and Hire Rates in Bahrain.

LOW-BED CAPACITY	10,000 kg	30,000 kg	50,000 kg	60,000 kg
Overall Length	9,450 mm	11,450 mm	12,450	14,800 mm
Overall Width	3,100 mm	3,000 mm	3,000 mm	3,000 mm
Overall Height	1,650 mm	3,600 mm	3,600 mm	3,750 mm
Unlade Weight	4,800 kg	9,500 kg	10,000 kg	15,000 kg
LOW-BED				
Low-Bed Deck Length	6,100 mm	7,500 mm	8,500 mm	9,500 mm
Low-Bed Bevel Length	800 mm	500 mm	500 mm	1,300 mm
Low-Bed Deck Width	2,600 mm	3,000 mm	3,000 mm	3,000 mm
Low-Bed Deck Height	550 mm	1,050 mm	1,050 mm	1,260 mm
Low-Bed Ramp Length	1,400 mm	3,000 mm	3,300 mm	3,000 mm

SAFETY NOTES:

- Care must be exercised while moving the Equipment on the ramps to avoid overturning.
- All equipment must be properly secured in place to avoid accidents. Equipment can easily move during braking causing very serious accidents.
- Equipment overall height must be checked to prevent hitting overhead bridges. Bridge heights vary between 4.50m to 5.50m.
- The truck speed must be reduced especially when loading heavy Equipment. The speed must be further reduced when approaching road bends and roundabouts.
- Special permission is required when transporting equipment wider than 3.0m. It is sometimes compulsory to travel at night time.
- Customers may arrange insurance through an insurance company to cover for damage, loss of transported Equipment.
- Road regulations restrict the Gross Vehicle Weight of the equipment loaded on the trailers.





LOW-BED TOW-BAR TRAILERS

LOW-BED CAPACITY	2,000 kg	5,000 kg	7,000 kg
Overall Length	2,800 mm	5,100 mm	5,260 mm
Overall Width	1,700 mm	2,400 mm	2,600 mm
Overall Height	1,550 mm	1,600 mm	1,800 mm
Unlade Weight	500 kg	1,300 kg	1,500 kg
LOW BED DECK DIMENSIONS			
Low-Bed Deck Length	1,500 mm	3,500 mm	3,650 mm
Low-Bed Bevel Length	0 mm	500 mm	350 mm
Low-Bed Deck Width	1,250 mm	1,900 mm	2,100 mm
Low-Bed Deck Height	400 mm	480 mm	480 mm
Low-Bed Ramp Length	1,200 mm	1,300 mm	1,500 mm

SAFETY NOTES:

- Care must be exercised while moving the Equipment on the ramps to avoid damage.
- All equipment must be properly secured in place to avoid accidents. Equipment can easily move during braking causing very serious accidents.
- The truck speed must be reduced especially when loading heavy Equipment. The speed must be further reduced when approaching road bends and roundabouts.
- Customers may arrange insurance through an insurance company to cover for damage, loss of transported Equipment / goods.







WIRE-MESH-SIDE SEMI-TRAILERS

WIRE - MESH SIDE SEMI TRAILERS

WIRE - MESH SIDE CAPACITY	30,000 kg		
Overall Length	13,000 mm		
Overall Width	2,650 mm		
Overall Height	3,000 mm		
Unlade Weight	8,250 kg		
FLAT-BED DECK DIMENSIONS			
Flat-Bed Deck Length	13,650 mm		
Flat-Bed Deck Width	2,550 mm		
Flat-Bed Deck Height	1,500 mm		

SAFETY NOTES:

- Care must be exercised while loading the trailers to avoid damage to trailers and cargo.
- All items must be properly secured in place to avoid accidents. Cargo can easily move during braking causing damage.
- The cargo overall height must be checked to prevent hitting overhead bridges. Bridge heights vary between 4.50m to 5.50m.
- The truck speed must be reduced especially when loading high and heavy cargo. The speed must be further reduced when approaching road bends and roundabouts.
- Special permission is required when transporting cargo wider than 3.0m. It is sometimes compulsory to travel at night time.
- Customers may arrange insurance through an insurance company to cover for damage, loss of transported goods.



ملاحظات NOTES









KINGDOM OF BAHRAIN

EQUIPMENT DIVISIONS

TRANSPORTATION AND LOGISTICS

+973-17705069

LIGHT EQUIPMENTS

+973-17705058

PORTA CABINS

+973-17708168

SKIPS

+973-17708161, 17705061

FORMWORK AND SCAFFOLDING

+973-17705082

RAW MATERIALS

+973-17705085, 17708173

GENERATORS AND COMPRESSORS

+973-17708160, 17705059

HEAVY EQUIPMENTS

+973-17708177, 17708170

مملكة البحرين

أقسام المعدات

النقليات والخدمات اللوحستية

+9771770079

المعدات الخفيفة

+9771770.07

كبائن متنقلة

+977177

حاويات الأنقاض

+974 177.1111,177.0.11

القوالب والسقالات

+977177007

المواد الخام

+977177000001777177

المولدات الكهربائية والضواغط

+978177,177,0009

المعدات الثقيلة

+97717771777177



BAHRAIN BRANCHES

Maameer

Tel: +973 17708160, 17705082

Fax: +97317700086

Location: Building:541, Road:3417 Block: 634, Maameer Industrial Area

GPS Map: 26.126758,50.60503

Manama

Tel: +973 17240166

Fax: +973 17240155

Location: Shop: 313, Road: 336,

Block: 311, Manama

GPS Map: 26.22269,50.5711

Muharrag

Tel: +973 17345020

Fax: +973 17346020

Location: Shop: 1157b, Road: 1021,

Block: 210, Muharraq

GPS Map: 26.2531040,50.6190761

Ras Zuwayed

Tel: +973 17705070, +973 17708177

Fax: +973 17703050

Location: Bulding:49, Avenue: 52

Block: 952, Ras Zuwayed

GPS Map: 26.079249,50.6238102

Al Hamala

Tel: +973 17616133

Fax: +973 17616144

Location: Shop: 2755, Road: 1448,

Block: 1014, Hamala

Hafeera

Tel: +973 17705085

MISTER MACHINE

QUALITY EQUIPMENT HIRE

خدمات تاجير متميزة

مستر مشین

TRANSPORTATION AND LOGISTICS DIVISION

• Semi-trailers: Flat-bed, Low-bed, Curtain Side, and Wire-mesh.

LIGHT EQUIPMENT DIVISION

- · Cleaning Equipment, Cutting Equipment
- Compaction/ Vibration
- Flectric Power Tools
- Welding Equipments
- Etc.

PORTACABINS DIVISION

- Portable Cabin, with Pantry and Toilet
- Portable Cabin, Open Plan
- Portable Guard Room
- Portable Toilet

FORMWORKS AND SCAFFOLDING DIVISION

- Modular Formworks
- Roof Formworks
- Circular Column Formworks
- Scaffolding Frames and Cross Braces.
- Jacks (Props)

GENERATORS AND COMPRESSORS DIVISION

- Generators 1 phase, 3 phase Silent
- Air Compressors- Diesel and Electric
- External Fuel Tanks
- Lighting Towers

HEAVY EQUIPMENT DIVISION

- Heavy Compaction/ Vibration
- Crane Division
- Earth Moving Equipment
- Telescopic Handler (Load-all)
- Forklifts
- Tankers
- Truck and Trailers

ACCESS PLATFORM

- Articulated Boom Lifts
- Telescopic Boom Lifts
- Scissor Lifts

QUALITY USED EQUIPMENT DIVISION

- Light Equipments
- Scaffolding And Props
- Skip Loaders
- Generators And Compressors
- Heavy Equipment

قســـم النقليات و الخدمات اللوجســـتية

 انصاف المقطورات: السطحات، السطحات المنخفضة، سطحات الستائر، سطحات الشبك

قســـم المعـــدات الخفــيفة

- معدات التنظيف، معدات التقطيع
- المعدات الداكة والهزازة الخفيفة
 - المعدات الكهربائية
 - معدات اللحام
 - إلخ.

قســـم الكبـــائن متنـــقلة

- كبائن متنقلة مع المرحاض والمطبخ
 - كبائن متنقلة مفتوحة
 - كبائن الحراس
 - مراحيض متنقلة

قســـم القــوالب والســقالات

- قوالب المقاسات المتعددة
 - قوالب الأسقف
 - القوالب الدائرية
 - أطقم الســقالات
 - الدعائم الثابته

قســـم المولدات والضاغــطات

- مولدات کهربائیة افیز، ۳ فیز
- ضاغطات الهواء دیزل أو کهرباء
 - خزانات دیزل متنقلة
 - أبراج اللانارة

قسه المعدات الثقيلة

- المعدات الداكة والهزازة الثقيلة
 - الرافعات المتنقلة
- - الرافعـاتالشــوكيـة
 - الصهاريج
 - القاطرات والمقطورات

الرافعات الشخصية المتنقلة

- رافعات سلة مفصلية
- رافعــات ســـــــة تلســـكـوبيـة
 - رافعات عمودية

قسم بيع المعدات المستعملة الممتازة

- المعدات الخفيفة
- أطقم الســقالات والدعائم الثابته
 - شاحنات نقل الحاويات
- مولدات كهربائية وضاغطات الهواء
 - معدات ثقىلة

